

Material Safety Data Sheet

U.S. Department Labor

May be used to comply with

Occupational Safety and Health
Administration

OSHA's Hazard Communication Standard
29 CFR 1910.1200. Standard must be
consulted for specific requirements.

(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

<p>IDENTITY <i>(As Used on Label and List)</i> WeldFit APS Anaerobic Porosity Sealant</p>	<p>Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.</p>
---	--

Section I

<p>Manufacturer's Name Fire Protection Products, Inc.</p>	<p>Emergency Telephone Number CHEMTREC 1 (800) 424-9300</p>
<p>Address <i>(number, Street, City, State, and Zip Code)</i> 6241 Yarrow Drive, Suite A</p>	<p>Telephone Number for Information 1 (760) 931-1168</p>
<p>Carlsbad, CA 92009-1541</p>	<p>Date Prepared 10/02/2006</p>
	<p>Signature of Preparer <i>(optional)</i></p>

Section II – Hazard Ingredients/Identify Information

Hazardous Components (Specific Chemical Identity: Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% <i>(optional)</i>
Organic Peroxide		N/A		
<p>All components of this product are listed on the Toxic Substance Control Act (TSCA)</p>				
<p>Inventory of chemical substances maintained by the US Environmental Protection Agency.</p>				

Section III – Physical/Chemical Characteristics

Boiling Point	>300 F	Specific Gravity (H2O=1)	1.1
Vapor Pressure (mm Hg.)	<5 @30 F	Melting Point	N/A
Vapor (AIR=1)	N/A	Evaporation Rate (Butyl Acetate=1)	N/A
Solubility in Water Partial			
Appearance and Odor Green liquid, mild odor			

Section IV – Fire and Explosion Hazard Data

Flash Point (Method Used) T.C.C. 200 F	Flammable Limits	LEL N/A	UEL N/A
Extinguishing Media CO2, Foam, Dry Chemicals			
Special Fire Fighting Procedures Air mask and procedures for fighting chemical fires			
Unusual Fire Explosion Hazards Contains Organic Peroxide			

(Reproduce locally)

OSHA 174, Sept. 1985

Section V – Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable	X	
Incompatibility (<i>Materials to avoid</i>) Oxidizing and reducing agents			
Hazardous Decomposition or Byproducts CO, CO2, Nitrous Oxides			
Hazardous polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	Temperatures over 120 F

Other precautions

Section VIII – Control Measures

Respiratory Protection (<i>Specify Type</i>)		
Ventilation	Local Exhaust	Special
	Mechanical (<i>General</i>)	Other
Protective Gloves		Eye Protection
Other Protective Clothing or Equipment		
Work/Hygienic Practices		

*U.S.G.P.O.:1986-491-529/45775